

Index

Symbols

", 753
&, 753
*****, 277
 required information, 469
 wildcards, 193
./, 65
<, 753
<!--, 40
>, 753

A

<a>, 7–8, 251, 678–679
 attributes, 70–76
 href, 56
 keywords, 631
 links, 55, 66
abbr
 <td>, 146
 <th>, 146
<abbr>, 25, 679
above, frame, 142
above the fold, 366
absbottom, 84
absmiddle, 84
absolute, position, 342, 344–345
absolute lengths, 739
absolute size
 CSS, 284
 font-size, 259, 714
absolute URLs, 63–65
 JavaScript, 485
accept, 174
 file select boxes, 193
accept-charset, 174
access keys, 204–205

accessibility, 631–635
 tables, 160–164
 testing, 598–599
accesskey, 70–71
 buttons, 181
 checkboxes, 186
 radio buttons, 187
 <textarea>, 179
<acronym>, 25, 679
 accessibility, 632
action, <form>, 171, 493–494
:active, 330
activemodules.com, 618
ActiveX, 106
actors, 359
<address>, 24–25, 679
 accessibility, 632
adjacent sibling selector, class, 279–280
Adobe. See also Flash
 Illustrator, 599
 Image Ready, 100
 Photoshop, 103, 599
Adwords, Google, 587
:after, 331
align, 13–14, 83–84, 794–796, 808
 bottom, 794
 center, 14, 794
 clear, 140–141
 <iframe>, 236
 justify, 794
 left, 14, 794
 middle, 794
 right, 14, 144, 794
 tables, 139–141
 <td>, 146
 <th>, 146

 top, 794
 <tr>, 144
alink, 800
alinkColor, 492
all, 252
 content, 591
 rules, 143
alphabetic characters, Regular Expressions, 551
alphanumeric characters, Regular Expressions, 551
alt, 80–81, 90, 93
 accessibility, 633
 background-image, 312
 buttons, 182
 text, 258
alt = "description of image or text on image", 450
American Standard Code for Information Interchange (ASCII), 749
analytics software, 613
anchors, 66. *See also*
 destination anchors;
 source anchors
 DOM, 489
animation
 Flash, 104–113
 GIF, 100
APIs, HTML 5, 640
applet, DOM, 489
<applet>, 680, 807–808
application, MIME, 777–782
application/x-www-form-urlencoded, 173
archive, 176, 808
area, DOM, 489
<area>, 90–94, 681

arguments, 493
arithmetic operators, 504
arrays, 525–526

`<article>`, 638

ascenders, leading, 428

ASCII. See **American Standard Code for Information Interchange**

`<aside>`, 638

aspect value, fonts, 263

ASP.NET, 620–624

 e-mail addresses, 58

 forms, 167

assignment operators,
 504–505

atomicselection, 811

atomz.com, 453, 619

attr (xx), content, 332

attributes

`<a>`, 70–76

 elements, 7–8

 groups, 47–51

 HTML, 636

 internationalization,
 49–51

 name, 8

`<option>`, 193

`<select>`, 193

 selectors, 281–282

 value, 8

 XHTML, 43, 636

audio, 118–123

 classid, 120–121

 MIME, 774–775

`<object>`, 119–121

`<audio>`, 105

 HTML 5, 639

aural, 252

author, 592

auto, table-layout,
 327–328

auto-completion

 text, 582–584

 YUI, 582–584

auto-tabbing, 557–558

AVI, 114–115

axis

`<td>`, 146

`<th>`, 146

axis character, 145

B

`<b>`, 20, 681

Back button, frames, 219

background, 300, 302,
 316–317, 720, 792–793

background(s)

 CSS, 309–317, 719–722

 HTML, 791–793

 page layout, 405–407

background-attachment,
 316, 720

background-color, 141,
 247, 720

`<body>`, 310

 links, 308

 tables, 320

 three-column layouts, 396

background-image,
 310–312, 392, 721

 alt, 312

 tables, 320

background-position,
 314–315, 721

background-positionX,
 722

background-positionY,
 722

background-repeat,
 312–314, 394, 722

backups, 602–603

`/bad/`, 547

`/bad/g`, 547

`/bad/gi`, 547

balance, 811

bandwidth, 603

`<base>`, 46, 66, 230–231,
 681

`<basefont>`, 682, 788–789

baseline, 84

 valign, 145

 vertical-align,

 266

baseline grids

 borders, 433

 line-height, 431–432

 margin-bottom, 432

 margin-top, 432

 padding, 433

 typography, 430–433

basic text formatting, 10–19

basket, 483

`/\bbad\b/gi`, 547

bcc, e-mail, 77

`<bdo>`, 682

:before, 331

behavior, 811, 813

below, frame, 142

bgcolor, 492, 791–792

 tables, 141

`<td>`, 147

`<th>`, 147

`<tr>`, 144

bgproperties, 811

`<bgsound>`, 810

`<big>`, 22, 682

binary operators, 503

black, hexcode, 742

Blackberry, 417

`_blank`, 8, 230

 target, 73

blink, text-decoration,
 267

block, 331

block-level elements, 16,
 41–42, 287–288

`<del>`, 38

`<ins>`, 38

 Strict XHTML 1.0, 288

 Transitional XHTML, 288

`<blockquote>`, 26–27, 682

 cite, 27

blockquote, 26–27, 682

blog, 617–618

blogs, 617–618

blue, hexcode, 742

blueprintcss.org, 407

body, e-mail, 77

`<body>`, 3, 6, 682–683

 accessibility, 631

 background-color, 310

 CSS, 247

 DOM, 491

 font size, 424

- <frameset>, 216–217
 - grids, 394
 - <head>, 47
 - JavaScript, 485
 - keywords, 628
 - <meta>, 588
 - <noframes>, 228
 - padding, 291
 - universal selector, 277
 - body and content, web pages, 383**
 - bold, 20**
 - page layout, 387
 - bold, font-weight, 261**
 - bolder, font-weight, 261**
 - Boolean operators, 506, 529**
 - border, 84, 85, 176, 222–223, 722, 806–807, 808**
 - box model, 285, 288–291
 - <caption>, 322
 - frame, 142
 - images, 498
 - <table>, 322
 - tables, 141, 320
 - three-column layouts, 396
 - border(s)**
 - baseline grids, 433
 - CSS, 722–724
 - images, 450
 - border-collapse, 323–324, 735**
 - border-color, 288–289, 724**
 - bordercolordark, 811**
 - bordercolorlight, 811**
 - border-spacing, 324, 735**
 - border-style, 289–290, 723**
 - border-width, 290, 723**
 - percentage, 290
 - both, clear, 350**
 - bottom, 84, 731**
 - align, 794
 - background-position, 315
 - box offset, 342
 - caption-side, 326
 - <iframe>, 236
 - percentage, 297
 - valign, 145
 - vertical-align, 266
 - bottommargin, 811**
 - box, frame, 142**
 - box model**
 - CSS, 285–299
 - Internet Explorer Box Model bug, 299, 391–392
 - box offset, 342–346**
 - percentage, 343
 - boxText, 300, 302**
 -
, 15–16, 683**
 - clear, 799–800
 - paragraphs, 16
 - braille, 252**
 - branding, 386, 390**
 - breadcrumbs, menus, 445**
 - break, 510**
 - Browser Object Model, 491**
 - browser versions, testing, 599**
 - browsercam.com, 599**
 - browserlab.adobe.com, 599**
 - browsershots.org, 599**
 - browser-specific markup, 783–814**
 - built-in objects, JavaScript, 501, 516–528**
 - bulleted lists, 31**
 - <button>, 183, 683–684**
 - buttons. See also radio buttons; submit buttons**
 - forms, 180–183, 495
 - images, 182
- ## C
- c, 119–121**
 - cache, 591–592**
 - calendars, YUI, 581–582**
 - cameras, mobile devices, 409**
 - CampaignMonitor.com, 619**
 - canvas, HTML 5, 640**
 - capitalize, text-transform, 269**
 - <caption>, 160, 684**
 - accessibility, 633
 - border, 322**
 - font-weight, 322
 - tables, 151, 320**
 - text-align, 322
 - caption-side, 326, 735**
 - cascading style sheets (CSS), 243–306**
 - absolute size, 284
 - accessibility, 634
 - advantages of, 253
 - backgrounds, 309–317, 719–722
 - border, 722–724
 - box model, 285–299
 - classification, 736–738
 - dimensions, 724–726
 - Flash movies, 111
 - fonts, 255–263, 713–716
 - forms, 473
 - IE, 812–814
 - internationalization, 738–739
 - length, 283–284, 739
 - links, 308–309
 - lists, 317–320, 728–730
 - margins, 726–727
 - MIME, 251
 - normal flow, 341
 - outline, 734
 - outlines, 328–330
 - padding, 727
 - paragraphs, 27
 - percentage, 284
 - position, 730–734
 - positioning schemes, 340–354
 - properties, 254–255, 713–739
 - pseudo-classes, 273–274, 330–335
 - px, 284
 - relative size, 283–284
 - Reset, 429–430
 - selectors, 276–282
 - sprites, 451–452
 - tables, 320–328, 735–736
 - testing, 594–596
 - text, 716–719

cascading style sheets (CSS) (continued)

- text control, 255–263
- text formatting, 264–273
- typeface, 255–263
- XHTML, 245–248, 307–356

case conversion, 560

cc, e-mail, 77

CDATA

- HTML, 636
- sections, 486
- XHTML, 637

cellpadding

- percentage, 141
- pixels, 141
- tables, 141–142

cellspacing

- percentage, 142
- px, 142
- tables, 142

center

- align, 14, 144, 794
- background-position, 315
- text-align, 265

<center>, 684, 793–794

char

- align, 144
- <td>, 147
- <th>, 147
- <tr>, 144–145

character encoding, 592–593, 749–751

character entities, special characters, 39–40

charoff

- <td>, 147
- <th>, 147
- <tr>, 145

charset, 71

@charset, 340

checkboxes, 168

- checking and unchecking, 562–563
- forms, 183–185, 460, 461, 495
- JavaScript, 554–556
- onsubmit, 555–556

checked

- checkboxes, 185–186
- form elements, 495
- radio buttons, 186

child

- document, 488
- elements, 5
- margin, 292
- window, 577–578

child selectors, 278

- class, 279–280

chk, 185

chunking, typography, 436–437

circle, 808

- shape, 92

cite, <blockquote>, 27

<cite>, 27–28

- italics, 684

class, 48

- adjacent sibling selector, 279–280
- child selectors, 279–280
- class selector, 277–278
- code, 322
- CSS, 246, 248
- font-variant, 262
- <p>, 257
- selectors, 276
- <td>, 322

class selector, 277–278

classid, 108, 110, 114, 176

- audio, 120–121

classification, CSS, 736–738

clear, 16, 349–350, 736

- align, 140–141
-
, 799–800
- three-column layouts, 396

clear form, 173

client-side image maps, 90–94

clip, 733

close-quote, 334–335

- content, 332

closing tags, 4–5

cloud platform, 604

cluster servers, 604

code, 808

- class, 278, 322

CSS, 248

- width, 322

<code>, 28–29, 684

- accessibility, 632

codeBackground, 300, 302

codebase, 176, 808

codeForeground, 300–301

codeInText, 300–301

codetype, 176

col, scope, 148

<col>, 684–685

- <colgroup>, 158
- tables, 158

colgroup, scope, 148

<colgroup>, 685

- <col>, 158

- tables, 157

collapse, 323

color

- accessibility, 633
- forms, 472–473
- gutter, 814
- links, 492, 800–801
- menus, 444, 448
- mobile devices, 415
- names and values, 741–747

color, 639, 785

- links, 308
- text, 264

cols

- <frameset>, 220–222
- percentage, 220
- px, 220–221
- rules, 143
- <textarea>, 179

colspan, 160

- tables, 151–153
- <td>, 147
- <th>, 147

columns

- four-column layouts, 400–401
- gutter, 376
- <head>, 650
- six-column layouts, 401–402
- <style>, 650
- tables, 136, 151–153

- three-column layouts, 394–397
- two-column layouts, 398–400
- columns grouping, tables, 157**
- combinators, 278**
- comma-delimited, 277**
- <command>, 638**
- comments, 40**
 - JavaScript, 486–487
- common events, 51**
- communities, 608**
- compact, 807**
- comparison operators, 505**
- complete, images, 498**
- composition, page layout, 374–380**
- compression, 99–101**
- concat(), 526**
- concatenation, 506**
- conditional statements, 501, 508–511**
- constraint, 575**
- containing elements, 81**
- content, 332–335**
 - http-equiv, 591–593
 - <meta>, 588–591
 - name, 588–591
- content management systems, 621–624**
- content pages, 389**
- contenteditable, 811**
- contrast, typography, 437–440**
- control, 544**
- control.id, 545**
- coords, 71, 92–93**
- core attributes, 47–49**
 - XHTML, 677–678
- counters, 332–334**
- country codes, 767–769**
- create(), 575**
- credit card details, Regular Expressions, 551**
- cross-document messaging, HTML 5, 640**
- CSS. See cascading style sheets**

- currency, Regular Expressions, 551**
- cursive, 258**
- cursor, 335–337**
- custom objects, 501**
- cuteftp.com, 605**

D

- \D, 548**
- \d, 548**
- dashed, border-style, 289**
- data, 177, 179**
- data centers, 603**
- data types, 529–530**
- datafld, 811**
- dataformaatas, 811**
- datapagesize, 811**
- datasrc, 811**
- date, 520–523, 639**
- datetime, 39, 639**
- datetime-local, 639**
- <dd>, 34, 320, 685**
- decimal numbers, Regular Expressions, 551**
- declarations**
 - CSS, 244
 - variables, 502
- declare, 177**
- dedicated server, 604**
- default, shape, 92**
- definition lists, 33–34**
- , 10, 38–39, 685**
- deprecated attributes, 783–814**
 - align, 794–796
 - <applet>, 807–808
 - background, 792–793
 - <basefont>, 788–789
 - bgcolor, 791–792
 - border, 806–807
 -
, 799–800
 - <center>, 793–794
 - clear, 799–800
 - color, 800–801
 - compact, 807
 - CSS, 812–814
 - <dir>, 804–805

- <embed>, 808–809**
- , 785–787**
- height, 797**
- hspace, 799**
- HTML, 791–793**
- IE, 810–814**
- <isindex>, 809–810**
- language, 807**
- links, 800–801**
- <listing>, 790–791**
- lists, 801–805**
- <menu>, 804–805**
- <nobr>, 810**
- nowrap, 806**
- <plaintext>, 790–791**
- <s>, 789**
- start, 802**
- <strike>, 789**
- <table>, 139–143**
- tables, 805–806**
- text, 787–788**
- type, 803–804**
- <u>, 790**
- value, 802–803**
- version, 807**
- vspace, 797–798**
- width, 796**
- <xmp>, 790–791**
- descendant selector, 278–279**
- descenders, leading, 428**
- description, name, 589**
- design, 421–479**
 - forms, 456–475
 - mobile devices, 408–418
 - navigation, 440–454
 - tables, 454–456
 - typography, 422–440
- destination anchors, 66**
 - id, 67–70
 - name, 67–70
 - rev, 72
 - source anchors, 70
- device detection, mobile devices, 413**
- <dfn>, 26, 686**
- Digital Rights Management (DRM), 119**
- dimensions, CSS, 724–726**

dir, 50

- direction, 272
- <meta>, 588
- tables, 142
- <dir>, **804–805**
- direction, **264, 272–273, 738, 811**
- directories, **55, 61–62**
 - links, 64
- disabled, **205–206**
 - buttons, 181
 - checkboxes, 186
 - form elements, 495
 - JavaScript, 555–556
 - <option>, 193
 - radio buttons, 187
 - <select>, 193
 - text inputs, 558–559
 - <textarea>, 179
- disc, **808**
- discussion boards, **618–619**
- disk space, **603**
- display, **331, 337, 737**
 - hidden controls, 195
- display advertising, **612**
- dithering, **98**
- <div>, **10, 638–639, 686**
 - element grouping, 42–43
 - grids, 393–394
 - JavaScript, 111
 - <label>, 465
 - page layout, 370–371
- <dl>, **33–34, 686**
- DOCTYPE, **43–44**
 - accessibility, 631
 - XHTML, 45, 216, 391–392
- !DOCTYPE, **281**
- document, **483**
 - child, 488
- document object model (DOM), **483, 488–501**
 - methods, 488, 493
 - property, 488
- Document Type Declaration, **43–44**
- documents, Internet, **1–53**
- DOM. *See* document object model

- domain name, **601–602**
 - mobile devices, 413
- domain name server (DNS), **63**
- doodle.com, **474**
- dot notation, **490–491**
- dotMobi emulator, **417**
- dotted, border-style, **289**
- double, border-style, **289**
- do...while, **512–513**
- drag-and-drop
 - HTML 5, 640
 - lists, 574–575
- Dreamweaver, **595–596**
 - Image Map, 92–93
- DRM. *See* Digital Rights Management
- drop shadow, **269**
- <dt>, **34, 686**
- DTD, **594**
- dynsrc, **811**

E

- editing elements, **10**
- element(s), **38**
 - attributes, 7–8
 - block-level, 16, 41–42, 287–288
 - child, 5
 - containing, 81
 - , 38
 - editing, 10
 - empty, 15, 636
 - <form>, 495–496
 - grouping, 10
 - HTML, 636
 - inline, 41–42, 287–288
 - nesting, 636
 - parent, 5
 - phrase, 9, 23–30
 - presentation, 9, 19–23
 - tags, 4–5
 - XHTML, 636
- element grouping
 - IE, 810–814
 - , 42–43
- em, **283–284**
- , **20, 24**
- italics, 686
- margin, 293
- email, **639**
- e-mail
 - bcc, 77
 - body, 77
 - cc, 77
 - forms, 564–570
 - hosting, 603
 - newsletter, 612, 619–620
 - subject, 77
- e-mail addresses
 - form validation, 535
 - links, 58–60, 76–77
 - Regular Expressions, 551
- <embed>, **687, 808–809**
 - Flash, 110–111
 - <object>, 105–106
 - src, 108
 - type, 109
- embossed, **252**
- emphasis, **24**
- empty cells, tables, **138**
- empty element, **15**
 - HTML, 636
 - XHTML, 636
- empty-cells, **324–326, 736**
- encoding, **43**
- enctype, **173–174**
 - post, 173
- equality selector, **281**
- errmsgmessage, **544**
- escape characters, **39**
- events, **51, 483, 514–516**.
 - See also* UI events
 - common, 51
 - intrinsic, 514
 - submit buttons, 172–173
- ex, **284**
- existence selector, **281**
- expiring pages, **591–592**
- Extensible Hypertext Markup Language (XHTML), **2–10**
 - attributes, 43, 636
 - CDATA, 637
 - CSS, 245–248, 307–356
 - DOCTYPE, 45, 216, 391–392

elements, 636, 677–711
 empty element, 636
 forms, 167
 framesets, 216
 HTML, 635–637
 <iframe>, 235
 JavaScript, 486
 <link>, 250–251
 mobile devices, 413–414
 style, 250
 tags, 3, 5, 635
 testing, 594–596

external link, 55

external style sheet, 250

F

\f, 548

face, 785

fantasy, 258

fetchsoftworks.com, 605

fgcolor, 492

<fieldset>, 687

accessibility, 634

forms, 200–202

forms whitespace, 462–463

<figure>, 638

file select boxes, 193–194

**File Transfer Protocol (FTP),
 604–606**

filepath, 63

**Firefox Web Developer Toolbar,
 418**

fireftp.mozdev.org, 605

first-letter, 273–274

first-line, 274

fixed

background-attachment,
 316

position, 342, 345–346

table-layout, 327–328

**fixed width design, 367–370,
 371–373**

margin-left, 373

margin-right, 373

text-align, 373

width, 372

.fla, 107

flags, 547

Flash, 624–625

Adobe, 116

animation, 104–113

<embed>, 110–111

fonts, 259

MP3, 121–123

<object>, 110–111

YouTube Player, 107–109

Flash audio, SWFObject, 122

Flash movies, 106–113

CSS, 111

JavaScript, 111–113

SWFObject, 111–113

Flash Player, 106

Flash Video (FLV), 115–117

FlashDen.net, 109

flat color, 97

Flickr.com, 109

float, 13, 348–349, 737

page layout, 405–407

three-column layouts,
 396

floating frames. See

<iframe>

flow, 10–11

Flow Player, 116

FLV. See Flash Video

focus, tabindex, 202–204

focus(), 557, 762

:focus, 330

follow, content, 591

font, 256

, 40, 688, 785–787

font(s)

aspect value, 263

CSS, 255–263, 713–716

generic, 258

monospace, 426–427

sans-serif, 256, 426–427

serif, 256–257, 426–427

typography, 426–427

font size, 21

<body>, 424

<p>, 424–425

typography, 424–426

**font-family, 256, 257–
 259, 714**

generic family, 714

specific family, 714

**font-size, 256, 259–260,
 714**

absolute size, 714

inherit, 714

length, 714

percent, 714

relative size, 714

**font-size-adjust, 256,
 263, 715**

**font-stretch, 256, 263,
 715**

font-style, 256, 714, 715

**font-variant, 256, 262–
 263, 714, 716**

**font-weight, 256, 261,
 714, 716**

<caption>, 322

<footer>, 638

footers

tables, 154

web pages, 383

for, 513–514

<label>, 465

form

form elements, 495

methods, 494–495

<form>, 169, 171–175, 688

action, 171

elements, 495–496

file select boxes, 193

form validation, 536

id, 172

name, 172

<object>, 195

onsubmit, 172–173, 495

properties, 494

white space, 174–175

form(s), 167–213

accessibility, 634

ASP.NET, 167

buttons, 180–183

checkboxes, 183–185, 460,
 461, 495

form(s) (continued)

color, 472–473
controls, 175–198
CSS, 473
design, 456–475
e-mail, 564–570
<fieldset>, 200–202
layout, 464–475
<legend>, 200–202
mobile devices, 417
name, 170
PHP, 167
radio buttons, 185–187,
460, 461, 495
required information, 469
select boxes, 460, 461–462,
495
separate pages, 463–464
tab, 471–472
testing, 474
text, 460–461
value, 170
XHTML, 167

form controls
<label>, 198–200,
464–475
title, 471

form validation, JavaScript,
535–556

forms, DOM, 489, 493–495

forms enhancements,
JavaScript, 556–570

forms whitespace,
<fieldset>, 462–463

forums, 608, 618–619

four-column layouts, 400–401

frame, tables, 142–143
<frame>, 225–228, 688–689
name, 230

frameborder, 223–224, 226
<iframe>, 237

frames, 215–241
<base>, 230–231
drawbacks to, 218–219
links, 228–230
<frameset>, 219–225,
689–690
<body>, 216–217

cols, 220–222
rows, 222–225

Frameset XHTML 1.0, 44

framesets, 215, 216–217
nesting, 231
XHTML, 216

framespacing, 224–225,
811

frm, 176

FTP. See File Transfer Protocol

ftpx.com, 605

functions, 501, 506–508
variables, 503

G

general sibling selector, 279

generic family, font-family,
714

generic fonts, 258

geolocation, HTML 5, 640

get, 172
HTTP, 207–208

GIF. See Graphics Interchange
Format

Gimp, 103

Golden Ratio, 375–376

Google, 453–454
Adwords, 587

Google Analytics, 613–615

Google Custom Search, 453

Google Site Search, 453

GPS, mobile devices, 409

Graphics Interchange Format
(GIF), 96–100
animation, 100
typeface, 258

graphics packages, 599

graybit.com, 598

Greek letters, 758–763

green, hexcode, 742

grids. See also baseline grids
<body>, 394
<div>, 393–394
margin-left, 394
margin-right, 394
page layout, 374–380,
392–394

groove, border-style, 289

grouping elements, 10

groups, rules, 143

>, 28

gutters
color, 814
columns, 376
liquid design, 402
margin, 397

H

handheld, 252

handleOther(), 558

<head>, 5, 6, 45–46, 690
base>, 230
<body>, 47
columns, 650
CSS, 246, 250
JavaScript, 485
<meta>, 588
<style>, 252
<title>, 46

<header>, 638

headers, 160
accessibility, 633
scope, 148, 162
tables, 161–162
<td>, 139, 147
<th>, 147, 161
voice browsers, 162
web pages, 383

headings
page layout, 386
tables, 138, 160, 455
tags, 5

height, 81–83, 177, 724,
797, 808
box model, 294–295
<iframe>, 235
images, 498
<object>, 108
tables, 320
<td>, 147
<th>, 147, 322
three-column layouts, 396

hex code, 141, 741–744

<hgroup>, 638

hidden, 337–338, 809

border-style, 289
<input>, 195
overflow, 298

hidden controls, 194–195

hide, empty-cells, 324–326

hidefocus, 811

<hn>, 9, 11–13, 628, 690

accessibility, 632
CSS, 245, 248
<style>, 252

homepages, 388

horizontal rule, 23

host address, 62

hosting, 602–604

HotScripts.com, 533

hotspots, 72, 90

coords, 92

hover, menus, 449

<hr>, 23, 691

href, 8, 93

<a>, 56
CSS, 246
<link>, 251
rel, 71
source anchors, 66–67
URLs, 251

hreflang, 71, 251

hsides, frame, 142

hspace, 84–85, 177, 799, 809

images, 498

HTML. See Hypertext Markup Language

<html>, 3, 5, 45, 691

</html>, 5

</html>, 4

<html>, 5

HTML 5, 637–640

htmlhelp.com/tools/valet/, 597

HTTP. See Hypertext Transfer Protocol

http://, 62

HTTP headers, 172

http-equiv, 591
lastModified, 492

http-equiv

content, 591–593
HTTP headers, 591
<meta>, 588

Hypertext Markup Language (HTML), 2–10

attributes, 636
backgrounds, 791–793
CDATA, 636
elements, 636
empty element, 636
tags, 635
testing, 594–596
XHTML, 635–637

Hypertext Transfer Protocol (HTTP), 62, 604–605

get, 207–208
method, 171
methods, 172
post, 208

hyphen selector, 281

I

<i>, 20

italics, 692

icons, menus, 447

id, 48, 545

destination anchors, 67–70
<form>, 172
id selector, 278
<label>, 465
paragraphs, 48
selectors, 276
<style>, 253
tables, 161–162

id selector, 278

IE. See Internet Explorer

if, 508–509

passwords, 539

if...else, 509–510, 558

<iframe>, 234–237, 692

ii8nguy.com, 743

@import, 430

image, DOM, 489

image(s), 79–104

accessibility, 632–633

border, 450

buttons, 182

files sizes of, 102–104

formats, 95–104

galleries, 103

JavaScript, 498–499

links, 88–89, 450

maps, 89–95

MIME, 773–774

page layout, 387, 390

resolution, 96

title, 73

Image Map, Dreamweaver, 92–93

Image Ready, Adobe, 100

ime-mode, 813

, 79–88, 692–693

@import, 338–339

important, class, 278

!important, 339–340

importantWords, 300

@include, 430

incremental leading, 432

index, content, 591

indexed color format, 97

index.html, 56, 63

infinite loops, 514

inherit, 714

direction, 272

empty-cells, 324–326

float, 348

font-size, 714

margin, 292

padding, 291

table-layout, 327–328

inheritance, 249–250

inline elements, 41–42, 287–288

inline frames. See <iframe>

<input>, 176, 639

buttons, 180

checkboxes, 185

file select boxes, 193

hidden, 195

radio buttons, 186

text, 460

type, 460

<input/>, , 543
<input type=
 "button">, 693
<input type=
 "checkbox">, 694
<input type="file">,
 694–695
<input type=
 "hidden">, 695
<input type=
 "image">, 695
<input type=
 "password">, 696
<input type="radio">,
 696–697
<input type=
 "reset">, 697
<input type=
 "submit">, 697
<input type="text">, 698
<ins>, 10, 38–39, 698
inset, border-style, 289
interface, 483
interface.css, 251
internal link, 55
internal style sheet, 250
International Standards
 Organization (ISO), 750
internationalization
 attributes, 49–51
 characters, 763–765
 CSS, 738–739
Internet
 documents, 1–53
 typeface, 257
Internet Explorer (IE)
 CSS, 812–814
 element grouping, 810–814
Internet Explorer Box Model,
 bug in, 299, 391–392
intrinsic events, 514
IP address, 62–63, 602
iPhoney, 417
<isindex>, 699, 809–810
ismap, 85, 94–95
ISO. *See* International
 Standards Organization

ISO 8859-1 characters,
 754–758

italics, 20
 <cite>, 684
 , 686
 <i>, 692

J

JavaScript, 481–531,
 533–586

 accessibility, 634
 built-in objects, 501,
 516–528
 checkboxes, 554–556
 comments, 486–487
 disabled, 555–556
 <div>, 111
 e-mail addresses, 58
 Flash movies, 111–113
 fonts, 259
 form validation, 535–556
 forms enhancements,
 556–570
 images, 498–499
 libraries, 570–584
 radio buttons, 553–554
 <script>, 112
 select boxes, 551–552
 src, 112
 starting programs, 501–502
 submit buttons, 193
 writing, 528–530
 XHTML, 486

JavaScript. Internet.
 com, 533

JavaScriptKit.com, 533

jit.bit.com, 618

join (separator), 526

Joint Photographic Experts
 Group Format (JPEG), 101
JPEG. *See* Joint Photographic
 Experts Group Format

.js, 485

justify
 align, 144, 794
 text-align, 265

JW FLV Player, 116

K

<kbd>, 29, 699

keyboard, 29

keystroke, 300, 302

keyworddiscovery.com,
 630

keywords, 530

 <a>, 631
 <body>, 628
 SEO, 628–631
 <title>, 628

keywords, name, 589–590

L

label, <option>, 189, 193

<label>, 699

 for, 465
 accessibility, 634
 <div>, 465
 form controls, 198–200,
 464–475
 id, 465

lang, 50

 <meta>, 588

language, 807

language codes, 767–769

Last.fm, 109

lastModified, HTTP
 headers, 492

layout, forms, 464–475

layout-grid, 813

layout-grid-char, 813

layout-grid-
 charspacing, 813

layout-grid-line, 813

layout-grid-mode, 813

lazy registration, 474

leading, 295

 ascenders, 428
 descenders, 428
 incremental, 432
 line-height, 428
 typography, 427–429
 x height, 427

left, 84, 731

 align, 14, 144, 794

- background-position, 315
 - box offset, 342
 - caption-side, 326
 - clear, 350
 - float, 348
 - <iframe>, 236
 - percentage, 297
 - text-align, 265
 - leftmargin, 811**
 - <legend>, 700**
 - accessibility, 634
 - forms, 200–202
 - length**
 - CSS, 283–284, 739
 - font-size, 259
 - length, 544**
 - font-size, 714
 - <form>, 494
 - form elements, 495
 - letter-spacing, 264, 270–271, 301, 716**
 - lhs, frame, 142**
 - , 31, 317, 700**
 - lightbox, 575–576**
 - lighter, font-weight, 261**
 - line breaks, 15–16**
 - linearization, tables, 160–161**
 - line-break, 813**
 - line-height, 714, 725**
 - baseline grids, 431–432
 - box model, 294, 295–296
 - leading, 428
 - percentage, 295
 - line-through, text-decoration, 267**
 - link, 800**
 - DOM, 489
 - <link>, 46, 700**
 - CSS, 246
 - <style>, 252
 - XHTML, 250–251
 - link(s)**
 - <a>, 55, 66
 - accessibility, 632
 - background-color, 308
 - color, 492, 800–801
 - color, 308
 - CSS, 308–309
 - directories, 64
 - e-mail addresses, 58–60, 76–77
 - external, 55
 - frames, 228–230
 - images, 88–89, 450
 - internal, 55
 - mobile devices, 417
 - navigation, 55–78, 449–452
 - page layout, 387
 - parent directory, 65
 - reciprocal, 609
 - subdirectories, 64–65
 - testing, 596–598
 - text-decoration, 308
 - title, 57
 - web pages, 56–58
 - Link Valet, 597**
 - linkColor, 492**
 - links**
 - accessibility, 634–635
 - reciprocal, 609
 - skip, 634–635
 - text, 449
 - linksNav.html, 230**
 - liquid design, 367–371, 402–405**
 - gutters, 402
 - min-width, 405
 - overflow, 405
 - list(s), 9, 30–37**
 - bulleted, 31
 - CSS, 317–320, 728–730
 - definition, 33–34
 - deprecated, 801–805
 - drag-and-drop, 574–575
 - nesting, 34–37
 - ordered, 31–33
 - unordered, 31
 - list item, 31**
 - menus, 448
 - <listing>, 790–791**
 - list-style, 320, 728**
 - list-style-image, 318–319**
 - list-style-position, 318–319, 728**
 - list-style-type, 32, 317–318, 729**
 - load-balanced server, 604**
 - local variables, 503**
 - log file analysis, 613**
 - logical operators, 506**
 - login.aspx, 171**
 - logos, 386, 390**
 - longdesc, 85–86, 227–228**
 - accessibility, 633
 - <iframe>, 237
 - loop, 81, 812**
 - loops, 502, 511–514**
 - lossless compression. See LZW compression**
 - lossy compression, 100, 101**
 - lowercase, text-transform, 269**
 - lowsrc, 812**
 - images, 498
 - ltr, direction, 272**
 - LZW compression, 99–100**
- ## M
- macro white space, 434**
 - Macromedia Freehand, 599**
 - MailChimp.com, 619**
 - main_page, 230**
 - <map>, 90–94, 701**
 - margin, 85, 726**
 - box model, 285, 292–294
 - gutter, 397
 - inherit, 292
 - percentage, 292
 - three-column layouts, 396
 - margin(s), CSS, 726–727**
 - margin-bottom, baseline grids, 432**
 - marginheight, 226–227**
 - <iframe>, 237
 - margin-left**
 - fixed width design, 373
 - grids, 394

margin-right

- fixed width design, 373
- grids, 394
- margin-top, baseline grids, 432**
- marginwidth, 226–227**
 - `<iframe>`, 237
- marker-offset, 730**
- marketing, 607–612**
- markup-significant characters, 763–765**
 - `<marquee>`, 810
- math, 523–525**
- mathematical symbols, 758–763**
- MathML, 639**
- max-height, 725**
 - box model, 294
 - percentage, 297
- maxlength, single-line text input controls, 177**
- max-width, 725**
 - box model, 294, 296–297
 - percentage, 296
- measure, typography, 422–423**
- media, 252**
- medium, border-width, 290**
- `<menu>`, 804–805**
- menus**
 - breadcrumbs, 445
 - color, 444, 448
 - hover, 449
 - icons, 447
 - list item, 448
 - navigation, 440–449
 - padding, 448
 - tabs, 444
 - underline, 444
- message, MIME, 776**
- `<meta>`, 46, 701**
 - `<body>`, 588
 - `<head>`, 588
 - web pages, 587–593
- method**
 - `<form>`, 494
 - HTTP, 171
- methods, 483**
 - DOM, 488, 493

- form, 494–495

- HTTP, 172

Meyer, Eric, 429

micro white space, 434

middle, 84

- align, 794
- `<iframe>`, 236
- valign, 145
- vertical-align, 266

MIDI, 119

MIME. See Multipurpose Internet Mail Extension

min-height, 726

- box model, 294, 297
- percentage, 297

min-width, 726

- box model, 294, 296–297
- liquid design, 405
- percentage, 296

MMS, 409

mobile devices

- cameras, 409
- color, 415
- design, 408–418
- device detection, 413
- domain name, 413
- forms, 417
- GPS, 409
- links, 417
- navigation, 416
- payment systems, 409
- testing, 417
- voice data, 409
- XHTML, 413–414

MochiKit, sortable tables, 578–581

modal window, 577–578

model, MIME, 777

monospace, 258

monospace fonts, 426–427

month, 639

MOV, 114–115

movabletype.org, 618

MP3, 118

- Flash, 121–123

- HTML 5, 639

MP4, 114–115

multi-line text input controls, 178–180

multimedia

- accessibility, 632–633
- HTML 5, 639

multipart, MIME, 774

multipart/form-data, 173

multiple

- `<select>`, 188, 193
- select boxes, 190

Multipurpose Internet Mail Extension (MIME)

- application, 777–782
- audio, 774–775
- CSS, 251
- file select boxes, 193
- images, 773–774
- media types, 771–782
- message, 776
- model, 777
- multipart, 774
- text, 772–773
- type, 73, 114, 179, 251
- video, 776
- wildcards, 193

N

`\n`, 539, 548

name

- attributes, 8
- forms, 170

name, 177, 808, 809

- buttons, 181
- checkboxes, 186
- content, 588–591
- description, 589
- destination anchors, 67–70
- `<form>`, 172, 494
- form elements, 495
- `<frame>`, 230
- frames, 226
- images, 86, 498
- keywords, 589–590
- `<map>`, 91
- `<meta>`, 588–591
- `<object>`, 108

<param>, 178
 radio buttons, 186
 robots, 590–591
 <select>, 188, 193
 single-line text input controls,
 176
 <textarea>, 179

name server, 602

namespace identifier, 45

<nav>, 638

navigation

accessibility, 632
 design, 440–454
 frames, 218–219
 links, 55–78, 449–452
 menus, 440–449
 mobile devices, 416
 page layout, 363–364, 386
 page sections, 363–364
 search, 452–454

**negative space. See white
 space**

nesting, 172

elements, 636
 framesets, 231
 lists, 34–37
 tables, 157–158, 160

**newsletter, e-mail, 612,
 619–620**

nextSibling, 545

960.gs, 407

<nobr>, 17, 810

**no-close-quote, content,
 332**

nofollow, content, 591

<noframes>, 216, 689, 701

nohref, 93

noindex, content, 591

**Nokia Mobile Browser
 Simulator, 417**

none

border-style, 289
 clear, 350
 content, 591
 float, 348
 rules, 143
 text-transform, 269

**no-open-quote, content,
 332**

no-repeat, 313–314

noresize, 227

normal

font-variant, 262
 font-weight, 261
 letter-spacing, 270
 white-space, 272

normal flow, CSS, 341

<noscript>, 487, 701
 accessibility, 634

Notepad, 3

nowrap, 806

<td>, 147–148
 <th>, 147–148
 white-space, 272

null, 530

number, 639

numbers, 529

O

object, 179, 808

<object>, 46, 122–126, 702

audio, 119–121
 client-side image maps, 94
 <embed>, 105–106
 Flash, 110–111
 height, 108
 name, 108
 <param>, 105
 rich media, 105
 value, 108
 width, 108

object controls, 195

object model, 483

**object-oriented programming,
 483**

off, <textarea>, 180

, 31–33, 317, 703

onblur, 516

onchange, 516

onclick, 51, 515, 562

buttons, 181

ondblclick, 515

onfocus, 516

onkeydown, 516

onkeypress, 516

onkeyup, 516

onload, 515

onmousedown, 515

onmousemove, 51

onmouseout, 51, 515

onmouseover, 515

onmouseup, 515

onreset, 173, 516

onselect, 516

onsubmit, 516

checkboxes, 555–556
 <form>, 172–173, 495
 form validation, 536

onunload, 515

opening tags, 4–5

open-quote, 334–335
 content, 332

**Openwave phone simulator,
 417**

Opera Mini Simulator, 417

operands, 503

operators, 501, 503–506

<optgroup>, 191–193, 703

**<option>, 187, 188–189,
 193, 703**

ordered lists, 31–33

OS FLV Player, 116

other, 558

outline, 329–330, 734

outline(s), CSS, 328–330, 734

outline-color, 329

outline-style, 329

outline-width, 329

outset, border-style, 289

overflow, 734

box model, 298
 liquid design, 405

overflow-x, 734

overflow-y, 734

**overline, text-
 decoration, 267**

P

<p>, 9, 703

class, 257
 CSS, 248

<p> (continued)

- font size, 424–425
- paragraphs, 15
- padding, 248**
 - baseline grids, 433
 - CSS, 727
 - menus, 448
 - tables, 454–455
- padding, 291–292, 727**
 - box model, 285
 - tables, 320
 - three-column layouts, 396
- page layout, 357–419**
 - backgrounds, 405–407
 - bold, 387
 - composition, 374–380
 - <div>, 370–371
 - fixed-width design, 367–370, 371–373
 - float, 405–407
 - four-column, 400–401
 - grids, 374–380, 392–394
 - headings, 386
 - images, 387, 390
 - key elements, 365
 - links, 387
 - liquid design, 367–371, 402–405
 - navigation, 363–364, 386
 - page size, 365–367
 - screen resolution, 365–367
 - search, 386
 - site map, 364–365
 - six-column, 401–402
 - target audience, 358–359
 - templates, 383
 - text, 387
 - three-column, 394–397
 - two-column, 398–400
- Paint Shop Pro, 103**
- palette, 809**
- panic.com/transmit/, 605**
- paragraphs, 9, 15**
 -
, 16
 - CSS, 27
 - id, 48
 - <p>, 15

- <param>, 178–179, 703**
 - <object>, 105
- parameters, 493**
- parent, elements, 5**
- _parent, 230**
- parent directory, 62**
 - links, 65
- password**
 - if, 539
 - security, 178
 - validation, 536–541
- password input controls, 177–178**
- payment systems, mobile devices, 409**
- pay-per-click advertising, 610–611**
- percentage**
 - border-width, 290
 - bottom, 297
 - box offset, 342, 343
 - cellpadding, 141
 - cellspacing, 142
 - cols, 220
 - CSS, 284
 - font-size, 259, 714
 - left, 297
 - line-height, 295
 - margin, 292
 - max-height, 297
 - max-width, 296
 - min-height, 297
 - min-width, 296
 - px, 221
 - right, 297
 - top, 297
 - width, 143, 691
- personae, 359**
- Photoshop, 103, 599**
- PHP, 620–624**
 - e-mail addresses, 58
 - forms, 167
- phpBB.com, 618**
- phrase elements, 9, 23–30**
- physical, <textarea>, 180**
- pilot testing, 599–601**
- pixels (px), 283**

- cellpadding, 141
- cellspacing, 142
- cols, 220–221
- CSS, 284
- font-size, 259
- percentages, 221
- <plaintext>, 790–791**
- play, 81**
- players, 105**
- plug-ins, 105**
 - HTML 5, 639
 - video, 113
- pluginspage, 81, 687, 809**
- PNG. See Portable Network Graphics**
- polygon, shape, 92**
- Portable Network Graphics (PNG), 102**
- position, CSS, 730–734**
- position, 342–350, 730**
 - absolute, 342, 344–345
 - fixed, 345–346
 - relative, 342, 343–344
 - static, 342
- post, 172**
 - enctype, 173
 - file select boxes, 193
 - HTTP, 208
 - HTTP headers, 172
- posterous.com, 474, 617**
- pre, white-space, 272**
- <pre>, 16–19, 178, 704**
 - <code>, 29
 - white-space, 271–272
- prefix selector, 281**
- preformatted text, 16–19**
- pre-publishing tests, 593**
- pre-release tests, 593**
- presentation elements, 9, 19–23**
- press releases, 608**
- print, 252**
- proboards.com, 618**
- profile, 46**
- <progress>, 638**
- projection, 252**
- proofreading, 601**

properties, 483

CSS, 244
DOM, 488
<form>, 494
tables, 322–328

pseudo-classes, CSS, 273–274, 330–335

pt, **CSS, 248**
purple, hexcode, 742
pwd, 177
px. *See* pixels

Q

<q>, 26, 27, 704
quality, 81
Quick Time, 118
Quick Time Movie, 114
quotation marks, 334–335
quotes, 26–27

R

\r, 548
radio buttons, 168, 187
 forms, 185–187, 460, 461, 495
 JavaScript, 553–554
range, 639
readonly, 205–206
 buttons, 181
 checkboxes, 186
 <textarea>, 179
Real Audio, 118
Real Media, 114
Real Video, 114–115
reciprocal links, 609
rect, shape, 92
rectangle, shape, 92
red, hexcode, 742
ref, 179
referrer, 492
refresh, 592
Regular Expressions, 547–551
 test(), 549–551
rel, 71–72
 <link>, 251

 stylesheet, 251
relative, position, 342, 343–344
relative lengths, 739
relative size
 box offset, 342
 CSS, 283–284
 font-size, 259, 714
relative URLs, 55, 63–65, 606–607
 JavaScript, 485
repeat, 313
repeat-x, 313
repeat-y, 313
replace(), 546–547
required information, forms, 469
reset, 173
reset(), 494
resets, CSS, 429–430
resolution, images, 96
return, 508
returnValue, 539, 542
rev, destination anchors, 72
reverse(), 526
rhs, frame, 142
rich media, 104
 <object>, 105
ridge, border-style, 289
right, 84, 732
 align, 14, 144, 794
 background-position, 315
 box offset, 342
 caption-side, 326
 clear, 350
 float, 348
 <iframe>, 236
 percentage, 297
 text-align, 265
rightmargin, 812
Riva FLV, 116
robots, name, 590–591
root directory, 62
root folder, 65
row, scope, 148
rowgroup, scope, 148

rows

 shading alternate, 456
 tables, 136, 153–154

rows

 <frameset>, 219, 222–225
 rules, 143
 <textarea>, 179

rowspan, 160

 tables, 153–154
 <td>, 148
 <th>, 148

<rt>, 810**rtl, direction, 272****<ruby>, 810****rule of thirds, 376****rules, tables, 143****S****<s>, 21, 704, 789****\S, 548****\s, 548****<samp>, 30****sans-serif, 258****sans-serif fonts, 256, 426–427****schema, <meta>, 588****scheme, <meta>, 593****scope, 160**

 accessibility, 633
 col, 148
 colgroup, 148
 headers, 162
 row, 148
 rowgroup, 148
 tables, 161–162
 <td>, 148
 <th>, 148

screen, 252**screen reader, tables, 160****screen resolution, page layout, 365–367****<script>, 46, 484, 704**

 JavaScript, 112

Scriptaculous, 571–573**scripts, folder, 534**

scroll

- background-attachment, 316
- overflow, 298
- scrollbar, 227**
- scrollbar-3dlight-color, 814**
- scrollbar-arrow-color, 814**
- scrollbar-base-color, 814**
- scrollbar-darkshadow-color, 814**
- scrollbar-face-color, 814**
- scrollbar-highlight-color, 814**
- scrollbar-shadow-color, 814**
- scrolldelay, 812**
- scrolling, 227**
 - <iframe>, 237
- scrolling select boxes, 189–190**
- search**
 - navigation, 452–454
 - page layout, 386
 - utilities, 619
- search, 639**
- search engine(s), frames, 218**
- search engine optimization (SEO), 627–631**
 - keywords, 628–631
 - on-page techniques, 628
- <section>, 638**
- section homepages, 389–390**
- section508.info, 598**
- security, passwords, 178**
- sel, 187**
- select, 551**
- select(), 762**
- <select>, 188, 705**
 - attributes, 193
- select boxes, 168, 187–193**
 - forms, 460, 461–462, 495
 - JavaScript, 551–552
 - scrolling, 189–190
 - Select color, 187–188

- selectAll(), 562**
- selected, <option>, 189**
- selectedIndex, 551–552**
 - form elements, 495
- selectors, CSS, 244, 276–282**
 - _self, 230
- Send Query, 182**
- SEO. See search engine optimization**
- separate, 323**
- serif, 258**
- serif fonts, 256–257, 426–427**
- server-side image maps, 94–95**
- server-side web programming, 620–625**
- shape, 72**
- shared hosting, 603–604**
- show, empty-cells, 324–326**
- SIFR, 259, 427**
- Silverlight, 113**
- simple selector, 276**
- single-line text input controls, 176–177**
- site map, page layout, 364–365**
- site: *sitename.com*, 453**
- six-column layouts, 401–402**
- size, 785**
 - radio buttons, 186
 - <select>, 188, 193
 - select boxes, 190
 - single-line text input controls, 177
- skip links, accessibility, 634–635**
- Skype, 409**
- slice(), 526**
- Slide.com, 109**
- SlideShowPro, 116**
- <small>, 22, 705**
- small-caps, font-variant, 262**
- SMS, 409**
- snook.ca/technical/colour_contrast/colour.html, 438, 598**

- social networks, 608**
- solid, border-style, 289**
- sort(), 526**
- Sortable, 575**
- sortable tables, MochiKit, 578–581**
- source anchors**
 - destination anchors, 70
 - href, 66–67
 - rel, 71
- source code, 8–9**
 - CSS, 249
- space selector, 281**
- , 10, 545, 705**
 - element grouping, 42–43
 - font-variant, 262
 - <input />, 543
- special characters, 753–765**
 - character entities, 39–40
- special terms, 26**
- specific family, font-family, 714**
- square, 808**
- src, 809**
 - buttons, 182
 - <embed>, 108
 - frames, 225–226
 - <iframe>, 236
 - images, 498
 - JavaScript, 112, 485
 - <style>, 253
 - URLs, 80
- SSL, 178**
- stacking context, 346**
- standby, 177**
- start, 33, 802**
- static, position, 342**
- statistics, 604**
- stock photography, 390**
- Strict XHTML 1.0, 44**
 - block-level elements, 288
 - style, 250
- <strike>, 21, 705, 789**
- string, 516–518**
- strings, 493, 529**
 - content, 332
 - operators, 506
- , 20, 24, 705**

style, 49
 CSS, 250
 XHTML, 250
<style>, 46, 252–253, 705
 columns, 650
 CSS, 250
style sheets, 245
stylesheet, rel, 251
sub, vertical-align, 266
<sub>, 22, 705
subdirectories, 62
 links, 64–65
subheadings, 387
 page layout, 387
 tags, 5
subject, e-mail, 77
submit(), 494
submit buttons, 168, 169
 events, 172–173
 JavaScript, 193
subscript, 21
substring(), 560–561
substring selector, 281
suffix selector, 281
summary, tables, 143
<sup>, 22, 706
super, vertical-align, 266
superscript, 21
SVG, 639
.swf, 106, 107, 114
SWFObject
 Flash audio, 122
 Flash movies, 111–113
switch, 510–511
symbols, 758–763

T

\t, 548
tab
 forms, 471–472
 menus, 444
tabindex, 73, 94, 177
 buttons, 181
 checkboxes, 186
 focus, 202–204

radio buttons, 187
<select>, 193
<textarea>, 179
<table>, 136, 320, 706
 border, 322
 deprecated attributes, 139–143
 width, 322
table(s), 131–165
 accessibility, 160–164, 633
 align, 139–141
 bgcolor, 141
 border, 141
<caption>, 151
 cellpadding, 141–142
 cellspacing, 142
<col>, 158
<colgroup>, 157
 colspan, 151–153
 columns, 136, 151–153
 columns grouping, 157
 CSS, 320–328, 735–736
 deprecated, 805–806
 design, 454–456
 dir, 142
 empty cells, 138
 footers, 154
 frame, 142–143
 headers, 161–162
 headings, 138, 160, 455
 id, 161–162
 linearization, 160–161
 nested, 157–158, 160
 padding, 454–455
 properties, 322–328
 rows, 136, 153–154
 rowspan, 153–154
 rules, 143
 scope, 161–162
 screen reader, 160
 shading alternate rows, 456
 sortable, 578–581
 summary, 143
<tbody>, 154–157
<tfoot>, 154–157
<thead>, 154–157
 voice browser, 160

width, 143
table data, 136
table rows, 136
table-layout, 327–328, 736
tags
 closing, 4–5
 elements, 4–5
 headings, 5
 HTML, 635
 opening, 4–5
 subheadings, 5
 XHTML, 3, 5, 635
target, 8, 73, 94, 174
 base>, 230
<form>, 494
 frames, 230
target audience, page layout, 358–359
<tbody>, 707
 tables, 154–157
<td>, 136–139, 146–150, 244, 320, 707–708
 class, 322
 headers, 139
tel, 639
templates, page layout, 383
test(), Regular Expressions, 549–551
testing, 594–596
 accessibility, 598–599
 browser versions, 599
 CSS, 594–596
 forms, 474
 HTML, 594–596
 links, 596–598
 mobile devices, 417
 pilot, 599–601
 pre-publishing, 593
 pre-release, 593
 web pages, 593–601
 XHTML, 594–596
text
 alt, 258
 auto-completion, 582–584
 control, 255–263

text (*continued*)

CSS, 255–263, 264–273, 716–719
editing, 38–39
formatting, 264–273
forms, 460–461
links, 449
MIME, 772–773
page layout, 387
text, 787–788
 text inputs, 168, 175–180
 disabled, 558–559
text-align, 13, 264, 717
 <caption>, 322
 fixed width design, 373
 tables, 320
<textarea>, 178–180, 708
text-autospace, 813
text-bottom, vertical-align, 266
text/css, 251
text-decoration, 264, 267–268, 717
 links, 308
text-indent, 264, 268, 717
text/JavaScript, 484
text-justify, 813
text-kashida-space, 813
text-shadow, 264, 269, 718
texttop, 84
text-top, vertical-align, 266
text-transform, 264, 269–270, 718
text-underline-position, 813
<tfoot>, 709
 tables, 154–157
<th>, 137–139, 146–150, 160, 709–710
 accessibility, 633
 headers, 161
 height, 322
<thead>, 709
 tables, 154–157
thick, border-width, 290

thin, border-width, 290
this, 558
three-column layouts, 394–397
thumbnails, 103
 frames, 219
<time>, 638
timed media playback, HTML 5, 640
title, 49
 , 39
 DOM, 492
 form controls, 471
 images, 73
 <ins>, 39
 links, 57
 <meta>, 588
<title>, 3, 5, 710
 <head>, 46
 keywords, 628
title="where the link will take the user", 450
toLowerCase(), 560
top, 84, 731
 align, 794
 background-position, 315
 box offset, 342
 caption-side, 326
 <iframe>, 236
 percentage, 297
 valign, 145
 vertical-align, 266
_top, 230
topmargin, 812
toUpperCase(), 560
<tr>, 136, 144–145, 711
Track Changes, Word, 38
tracking, 270
 typography, 434
Transitional XHTML, 44
 block-level element, 288
 style, 250
transparent background, 98–99
triggers, 360

truespeed, 812
<tt>, 21, 711
tty, 252
tumblr.com, 617
tv, 252
two-column layouts, 398–400
txt, 176
type, 108, 803–804, 809
 buttons, 180, 181
 checkboxes, 185, 186
 <embed>, 109
 form elements, 495
 <input>, 460
 <link>, 251
 MIME, 73, 114, 179, 251
 , 32
 radio buttons, 186
 single-line text input controls, 176
type selector, 277
typeface. See also font
 CSS, 255–263
 GIF, 258
 Internet, 257
Typekit, 259, 427
typography
 baseline grids, 430–433
 chunking, 436–437
 contrast, 437–440
 design, 422–440
 font size, 424–426
 fonts, 426–427
 leading, 427–429
 measure, 422–423
 tracking, 434
 white space, 434–436

U

<u>, 21, 711, 790
UI events, 51
 buttons, 181
 checkboxes, 186
 <option>, 193
 radio buttons, 187
 <select>, 193
 <textarea>, 179

****, 31, 317, 711
unary operators, 503
undefined, 530
underline, 21
 menus, 444
underline, text-
 decoration, 267
Unicode Consortium, 743
unicode-bidi, 739
Uniform Resource Locators (URLs), 62–66. *See also*
 absolute URLs; relative URLs
 content, 332
 frames, 218
 href, 251
 <iframe>, 234
 src, 80
units, 809
universal attributes, 9
 <option>, 193
 radio buttons, 187
 <select>, 193
universal selector. See
 wildcards
unordered lists, 31
unselectable, 812
uppercase, text-
 transform, 269
uptime, 604
url, 639
URLs. See **Uniform Resource Locators**
usemap, 85, 91, 178

V

\v, 548
validate(), 537–538
validateConfirmPass
 word(), 542–543
validateMinimumLength, 542
validator.w3.org, 594
validator.w3.org/
 checklink/, 597
valign

<td>, 148
<th>, 148
<tr>, 145
value
 attributes, 8
 CSS, 244
 forms, 170
 ismap, 95
 variables, 502–503
value, 802–803
 buttons, 181
 checkboxes, 185, 186
 form elements, 495
 <object>, 108
 <option>, 189
 <param>, 178
 radio buttons, 186
 shape, 91–92
 single-line text input controls, 177

valuetype, 178–179

<var>, 30, 711

variables, 30, 501, 502–503

 functions, 503

vbulletin.com, 618

Vector format, 104

version, 45, 807

vertical-align, 264,

732–733

 tables, 320

video

 formats, 113

 MIME, 776

 plug-ins, 113

 size of, 117–118

 web pages, 113–115

<video>, 105

 HTML 5, 639

View Source, 249

virtual, <textarea>, 180

vischeck.com, 598

visibility, 337–338, 738

 hidden controls, 195

visual hierarchy, 380,

385–386

vlink, 800

vlinkColor, **DOM**, 492

voice browsers

 headers, 162

 table, 160

voice data, mobile devices, 409

void, frame, 142

volume, 812

vsides, frame, 142

vspace, 84–85, 177,

797–798, 809

 images, 499

W

\w, 548

\w, 548

W3C DOM objects, 501

wallpaper, 312–314

WAVE, 118

web farm, 604

web marketing, 607–612

web pages

 backgrounds, 405–407

 body and content, 383

 bold, 387

 composition, 374–380

 <div>, 370–371

 fixed-width design, 367–370,

 371–373

 float, 405–407

 footers, 383

 four-column, 400–401

 frames, 219

 grids, 374–380, 392–394

 headers, 383

 headings, 386

 images, 387, 390

 key elements, 365

 layout, 357–419

 links, 56–58, 387

 liquid design, 367–371,

 402–405

 <meta>, 587–593

 navigation, 363–364, 386

 page size, 365–367

 publishing, 587–626

 screen resolution, 365–367

web pages (*continued*)

search, 386
site map, 364–365
six-column, 401–402
target audience, 358–359
templates, 383
testing, 593–601
text, 387
three-column, 394–397
two-column, 398–400
videos, 113–115
webaim.org, 598
webreference.com/
 programming/
 javascript, 533
week, 639
while, 512
white, hexcode, 742
white space
 collapsing, 10–11
 <form>, 174–175
 Regular Expressions, 551
 trimming, 560–562
 typography, 434–436
white-space, 264, 271–272, 719
width, 81–83, 177, 724, 796, 808, 809
 box model, 294–295
 code, 322
 fixed width design, 372
 <iframe>, 235
 images, 499
 <object>, 108

percentage, 143, 691
<table>, 322
tables, 143, 320
<td>, 148
<th>, 148
three-column layouts, 396
wildcards, 220, 277
 *, 193, 277
 cols, 221
 MIME, 193
window, 526–528
Windows Media Audio, 118
Windows Media Video (WMV), 114–115
wire frame, 381
WMV. See Windows Media Video
Word, Track Changes, 38
word-break, 813
wordpress.org, 618
word-spacing, 264, 271, 719
wordtracker.com, 630
wrap, 11
wrap, <textarea>, 180
write(), 493
write(string), 493
writeln(string), 493
writing-mode, 813

X

x height, leading, 427
x y, 315
x% y%, 315

XHTML. See Extensible Hypertext Markup Language

<xml>, 810
XML Declaration, 43
xml:lang, 25, 51
 accessibility, 631
 <meta>, 588
xmlns, 45
<xmp>, 790–791

Y

Yahoo! Search Marketing, 587
Yahoo User Interface (YUI)
 auto-completion, 582–584
 calendars, 581–582
yahoo.com/yui/grids/, 407
YouTube Player, Flash, 107–109
YUI. See Yahoo User Interface YUI Grids, 407

Z

zetaboards.com, 618
z-index, 346–347, 733
zoom, 813