

# CONTENTS

<b>INTRODUCTION</b>	<b>xxxiii</b>
<hr/>	
<b>CHAPTER 1: STRUCTURING DOCUMENTS FOR THE WEB</b>	<b>1</b>
<hr/>	
<b>A Web of Structured Documents</b>	<b>1</b>
<b>Introducing HTML5</b>	<b>2</b>
Tags and Elements	4
Separating Heads from Bodies	5
Attributes Tell You about Elements	6
Learning from Others by Viewing Their Source Code	8
Elements for Marking Up Text	8
<b>Attribute Groups</b>	<b>9</b>
Core Attributes	9
The id Attribute	10
The class Attribute	10
The title Attribute	10
The style Attribute	11
Internationalization	11
The dir Attribute	11
The lang Attribute	12
<b>Core Elements</b>	<b>13</b>
About DOCTYPEs	13
The <html> Element	13
The <head> Element	13
The <title> Element	14
Links and Style Sheets	15
Ensuring Backward Compatibility for HTML5 Tags	15
The <body> Element	16
Common Content Elements	16
<b>Basic Text Formatting</b>	<b>17</b>
White Space and Flow	17
Creating Headings Using <hn> Elements	18
Creating Paragraphs Using the <p> Element	20
Creating Line Breaks Using the   Element	20
Creating Preformatted Text Using the <pre> Element	21
<b>Understanding Block and Inline Elements</b>	<b>24</b>

<b>Grouping Content</b>	<b>25</b>
The New Outline Algorithm in HTML5	25
The <code>&lt;div&gt;</code> Element	26
The <code>&lt;header&gt;</code> Element	26
The <code>&lt;hgroup&gt;</code> Element	27
The <code>&lt;nav&gt;</code> Element	27
The <code>&lt;section&gt;</code> Element	27
The <code>&lt;article&gt;</code> Element	28
The <code>&lt;hr&gt;</code> Element	28
The <code>&lt;blockquote&gt;</code> Element	28
Using the <code>cite</code> Attribute with the <code>&lt;blockquote&gt;</code> Element	29
The <code>&lt;aside&gt;</code> Element	29
The <code>&lt;footer&gt;</code> Element	29
The <code>&lt;address&gt;</code> Element	30
<b>Working with Lists</b>	<b>30</b>
Using the <code>&lt;ul&gt;</code> Element to Create Unordered Lists	30
Ordered Lists	31
Using the <code>start</code> Attribute to Change the Starting Number in Ordered Lists	32
Count Down in Your Ordered Lists with the <code>reversed</code> Attribute	32
Specify a Marker with the <code>type</code> Attribute	33
Definition Lists	33
Nesting Lists	34
<b>Summary</b>	<b>35</b>
<hr/> <b>CHAPTER 2: FINE-TUNING YOUR TEXT</b>	<b>39</b>
<b>Elements That Describe Text-Level Semantics</b>	<b>39</b>
The <code>&lt;span&gt;</code> Element	39
The <code>&lt;em&gt;</code> Element	40
The <code>&lt;strong&gt;</code> Element	40
The <code>&lt;b&gt;</code> Element	41
The <code>&lt;i&gt;</code> Element	41
<code>&lt;strong&gt;</code> versus <code>&lt;b&gt;</code> and <code>&lt;em&gt;</code> versus <code>&lt;i&gt;</code>	41
The <code>&lt;small&gt;</code> Element	41
The <code>&lt;cite&gt;</code> Element	41
The <code>&lt;q&gt;</code> Element	42
The <code>&lt;dfn&gt;</code> Element	42
The <code>&lt;abbr&gt;</code> Element	42
The <code>&lt;time&gt;</code> Element	43
The <code>&lt;code&gt;</code> Element	44
<code>&lt;figure&gt;</code> and <code>&lt;figcaption&gt;</code> Elements	44
The <code>&lt;var&gt;</code> Element	45

The <samp> Element	45
The <kbd> Element	45
The <sup> Element	46
The <sub> Element	46
The <mark> Element	46
<b>Editing Text</b>	<b>49</b>
<b>Using Character Entities for Special Characters</b>	<b>51</b>
Comments	51
Summary	52
<b>CHAPTER 3: LINKS AND NAVIGATION</b>	<b>55</b>
<b>Basic Links</b>	<b>56</b>
Linking to Other Web Pages	56
Linking to E-mail Addresses	57
<b>Understanding Directories and Directory Structures</b>	<b>60</b>
<b>Understanding URLs</b>	<b>61</b>
Absolute and Relative URLs	63
Same Directory	64
Subdirectory	64
Parent Directory	64
From the Root	65
The <base> Element	65
<b>Creating In-Page Links with the &lt;a&gt; Element</b>	<b>65</b>
Creating a Source Anchor with the href Attribute	65
Creating a Destination Anchor Using the name and id Attributes (Linking to a Specific Part of a Page)	66
The <a> Element's Other Attributes	68
The accesskey Attribute	69
The hreflang Attribute	69
The rel Attribute	69
The tabindex Attribute	70
The target Attribute	71
The title Attribute	71
The type Attribute	71
<b>Advanced E-mail Links</b>	<b>74</b>
Summary	75
<b>CHAPTER 4: IMAGES, AUDIO, AND VIDEO</b>	<b>79</b>
<b>Adding Images Using the &lt;img&gt; Element</b>	<b>80</b>
The src Attribute	80
The alt Attribute	81

The height and width Attributes	81
Adding Images to a Web Page	82
<b>Using Images as Links</b>	<b>84</b>
<b>Choosing the Right Image Format</b>	<b>85</b>
GIF Images	87
Animated GIFs	90
JPEG Images	91
PNG Images	92
Keeping File Sizes Small	92
<b>Adding Flash, Video, and Audio to Your Web Pages</b>	<b>95</b>
Adding YouTube Movies to Your Web Pages	95
Adding Rich Media with the <audio> and <video> Elements	97
Controlling Playback with the preload, autoplay, loop, and muted Attributes	97
Using the poster Attribute to Customize the Initial Frame	98
Adding Video Playback Controls with the controls Attribute	98
Adding Audio to Your Web Pages Using the <audio> Element	99
On Containers and Codecs	99
Adding Flash Movies to Your Web Pages	100
Cross-Browser Video—Using Video for Everybody	103
Video Size	104
A Closer Look at the <object> and <param> Elements	104
The data Attribute	105
The height and width Attributes	105
The tabindex Attribute	105
The usemap Attribute	105
The <param> Element	105
<b>Summary</b>	<b>106</b>
<b>CHAPTER 5: TABLES</b>	<b>111</b>
<b>Introducing Tables</b>	<b>111</b>
<b>Basic Table Elements and Attributes</b>	<b>118</b>
The <table> Element Creates a Table	119
The dir Attribute	119
The <tr> Element Contains Table Rows	119
The <td> and <th> Elements Represent Table Cells	119
The colspan Attribute	119
The headers Attribute	120
The rowspan Attribute	120
The scope Attribute	120
Creating a Basic Table	120

<b>Adding a Caption to a Table</b>	<b>122</b>
<b>Grouping Sections of a Table</b>	<b>123</b>
Spanning Columns Using the <code>colspan</code> Attribute	123
Spanning Rows Using the <code code="" rowspan<=""> Attribute</code>	124
Splitting Up Tables Using a Head, Body, and Foot	125
Grouping Columns Using the <code>&lt;colgroup&gt;</code> Element	128
Columns Sharing Styles Using the <code>&lt;col&gt;</code> Element	128
<b>Nested Tables</b>	<b>129</b>
<b>Accessible Tables</b>	<b>130</b>
How to Linearize Tables	131
Using the <code>id</code> , <code>scope</code> , and <code>headers</code> Attributes	132
Creating an Accessible Table	133
<b>Summary</b>	<b>135</b>
<b>CHAPTER 6: FORMS</b>	<b>139</b>
<b>Introducing Forms</b>	<b>140</b>
<b>Creating a Form with the <code>&lt;form&gt;</code> Element</b>	<b>143</b>
The <code>action</code> Attribute	143
The <code>method</code> Attribute	143
The <code>id</code> Attribute	143
The <code>name</code> Attribute	144
The <code>enctype</code> Attribute	144
The <code>accept-charset</code> Attribute	144
The <code>novalidate</code> Attribute	145
The <code>target</code> Attribute	145
The <code>autocomplete</code> Attribute	145
<b>Form Controls</b>	<b>145</b>
Text Inputs	146
Single-Line Text Input Controls	147
Password Input Controls	148
Multiple-Line Text Input Controls	149
New HTML5 Input Types and Attributes	151
Using the <code>placeholder</code> Attribute to Illustrate Example Input	154
Ensuring User Privacy and Security with the <code>autocomplete</code> Attribute	154
Ensuring Information Is Provided with the <code>required</code> Attribute	155
Buttons	155
Creating Buttons Using the <code>&lt;input&gt;</code> Element	156
Using Images for Buttons	157
Creating Buttons Using the <code>&lt;button&gt;</code> Element	158
Check Boxes	159
Radio Buttons	161

Select Boxes	163
The <select> Element	164
The <option> Element	164
Creating Scrolling Select Boxes	165
Selecting Multiple Options with the multiple Attribute	166
Grouping Options with the <optgroup> Element	166
Attributes for Select Boxes	167
File Select Boxes	168
Hidden Controls	169
New HTML5 Form Elements	170
Track Completion of a Task with the New <progress> Element	170
Represent Scalar Measurement within a Range with the <meter> Element	171
Create an Autocomplete List with an <input> and the New <datalist> Element	171
<b>Creating a Contact Form</b>	<b>172</b>
<b>Creating Labels for Controls and the &lt;label&gt; Element</b>	<b>174</b>
<b>Structuring Your Forms with &lt;fieldset&gt; and &lt;legend&gt; Elements</b>	<b>176</b>
<b>Focus</b>	<b>177</b>
Tabbing Order	178
Access Keys	179
<b>Disabled and Read-Only Controls</b>	<b>181</b>
<b>Sending Form Data to the Server</b>	<b>183</b>
HTTP get	183
HTTP post	184
<b>Creating More Usable Form Fields</b>	<b>185</b>
Summary	187
<b>CHAPTER 7: CASCADING STYLE SHEETS</b>	<b>191</b>
<b>Introducing CSS</b>	<b>192</b>
A Basic Example	193
Inheritance	197
<b>Where You Can Add CSS Rules</b>	<b>197</b>
The <link> Element	198
The rel Attribute	199
The href Attribute	199
The media Attribute	199
The <style> Element	200
Advantages of External Style Sheets	200
<b>CSS Properties</b>	<b>201</b>

<b>Controlling Text</b>	<b>203</b>
The font-family Property	204
The font-size Property	206
The font-weight Property	207
The font-style Property	209
The font-variant Property	209
<b>Text Formatting</b>	<b>210</b>
The color Property	211
The text-align Property	211
The vertical-align Property	212
The text-decoration Property	214
The text-indent Property	214
The text-shadow Property	215
The text-transform Property	216
The letter-spacing Property	217
The word-spacing Property	217
The white-space Property	218
The direction Property	219
<b>Text Pseudo-Classes</b>	<b>220</b>
The first-letter Pseudo-Class	220
The first-line Pseudo-Class	221
<b>Styling Text</b>	<b>221</b>
<b>Selectors</b>	<b>224</b>
Universal Selector	224
The Type Selector	224
The Class Selector	224
The ID Selector	225
The Child Selector	225
The Descendant Selector	226
The Adjacent Sibling Selector	226
The General Sibling Selector	226
Using Child and Sibling Selectors to Reduce Dependence on Classes in Markup	227
Attribute Selectors	228
<b>Lengths</b>	<b>231</b>
Relative Units	231
px	231
em	231
ex	232
New Relative Units: rem, vh, and vw	232
Absolute Units	232
Percentages	233

<b>Introducing the Box Model</b>	<b>233</b>
An Example Illustrating the Box Model	234
The border Properties	236
The border-color Property	236
The border-style Property	236
The border-width Property	238
Expressing border Properties Using Shorthand	238
The padding Property	239
The margin Property	240
Dimensions of a Content Box	241
The height and width Properties	242
The line-height Property	243
The max-width and min-width Properties	244
The min-height and max-height Properties	244
The overflow Property	245
The Internet Explorer Box Model and box-sizing: border-box	246
<b>Creating a Style Sheet for Code</b>	<b>248</b>
<b>Summary</b>	<b>252</b>
<b>CHAPTER 8: MORE CASCADING STYLE SHEETS</b>	<b>257</b>
<b>Links</b>	<b>258</b>
<b>Backgrounds</b>	<b>259</b>
The background-color Property	260
The background-image Property	261
The background-repeat Property	262
The background-position Property (for Fixing Position of Backgrounds)	264
The background-attachment Property (for Watermarks)	265
The background Property (the Shorthand)	266
<b>Lists</b>	<b>267</b>
The list-style-type Property	267
The list-style-position Property	269
The list-style-image Property	270
The list-style Property (the Shorthand)	271
<b>Tables</b>	<b>271</b>
Table-Specific Properties	273
The border-collapse Property	274
The border-spacing Property	275
The empty-cells Property	276
The caption-side Property	277
The table-layout Property	278

<b>Outlines</b>	<b>280</b>
The outline-width Property	281
The outline-style Property	281
The outline-color Property	281
The outline Property (the Shorthand)	281
<b>The :focus and :active Pseudo-Classes</b>	<b>282</b>
<b>Generated Content</b>	<b>283</b>
The :before and :after Pseudo-Elements	283
The content Property	284
Counters	284
Quotation Marks	287
<b>Miscellaneous Properties</b>	<b>288</b>
The cursor Property	288
The display Property	289
The visibility Property	290
<b>Additional Rules</b>	<b>291</b>
The @import Rule: Modularized Style Sheets	291
The !important Rule	292
<b>Positioning and Layout with CSS</b>	<b>293</b>
Normal Flow	294
The position Property	294
Box Offset Properties	295
Relative Positioning	295
Absolute Positioning	296
Fixed Positioning	298
The z-index Property	299
Floating Using the float Property	300
The clear Property	302
Building a Sample Layout	303
<b>Summary</b>	<b>308</b>
<b>CHAPTER 9: ROUNDED CORNERS, ANIMATIONS, CUSTOM FONTS, AND MORE WITH CSS3</b>	<b>311</b>
<b>The Modular Approach of CSS3</b>	<b>312</b>
<b>Mature CSS3 Modules</b>	<b>312</b>
More Powerful CSS Selectors	312
Advanced Color Options	315
Use New, Easier-to-Understand, Numerical Color Values with HSL	316
Control Transparency with RGBA, HSLA, and the opacity Property	317
Backgrounds and Borders Module	319
Multi-column Layout Module	321
Media Queries	323

<b>New and In-Development Modules</b>	<b>326</b>
Custom Fonts with the @font-face Directive	326
On Font Formats, Compatibility, and the Evolution of the Bulletproof @font-face Syntax	327
Adding Custom Fonts to Example Café	327
Advanced CSS Manipulations with Transforms, Animations, and Transitions	331
2D Transforms	331
3D Transforms	332
CSS Animations and CSS Transitions	334
<b>Summary</b>	<b>336</b>
<b>CHAPTER 10: LEARNING JAVASCRIPT</b>	<b>339</b>
<b>What Is Programming About?</b>	<b>340</b>
<b>How to Add a Script to Your Pages</b>	<b>343</b>
Comments in JavaScript	344
The <noscript> Element	344
<b>Create an External JavaScript</b>	<b>345</b>
<b>The Document Object Model</b>	<b>346</b>
Accessing Values Using Dot Notation	346
Different Types of Objects	346
<b>Starting to Program with JavaScript</b>	<b>347</b>
The JavaScript Console	347
General Programming Concepts	349
<b>Variables</b>	<b>349</b>
Assigning a Value to a Variable	350
Lifetime of a Variable	350
<b>Operators</b>	<b>351</b>
Arithmetic Operators	351
Assignment Operators	352
Comparison Operators	353
Logical or Boolean Operators	353
String Operators (Using + with Strings)	354
<b>Functions</b>	<b>354</b>
How to Define a Function	354
How to Call a Function	355
The return Statement	356
Function Expressions and Anonymous Functions	356
<b>Conditional Statements</b>	<b>357</b>
if Statements	357
if . . . else Statements	358
switch Statements	358

<b>Looping</b>	<b>360</b>
while	360
do . . . while	361
for	361
Infinite Loops and the break Statement	362
<b>Events</b>	<b>363</b>
<b>Built-in Objects</b>	<b>364</b>
String	364
Properties	365
Methods	365
Manipulating Strings with JavaScript	366
Date	368
Math	371
Properties	371
Methods	372
Array	373
Window	375
Properties	376
Methods	377
<b>Writing JavaScript</b>	<b>377</b>
A Word about Data Types	378
Keywords	379
Summary	380
<b>CHAPTER 11: WORKING WITH JQUERY</b>	<b>383</b>
<b>Why jQuery?</b>	<b>384</b>
<b>Adding jQuery to Your Page</b>	<b>384</b>
<b>jQuery Basics</b>	<b>386</b>
Introducing the \$ Function	386
Chaining	386
Start Your Scripts the Smart Way with \$( document ).ready()	387
<b>jQuery and the DOM</b>	<b>387</b>
Selecting Elements with jQuery	387
Creating and Adding Elements	389
Manipulating Elements with jQuery	391
Manage CSS Classes with \$.addClass(), \$.removeClass(), \$.hasClass(), and \$.toggleClass()	391
Get or Set Attributes with \$.attr()	392
Get or Set CSS Properties with \$.css()	393
Get or Set the HTML of an Element with \$.html()	394

Basic Animations and Effects	395
Show and Hide Elements with <code>\$(().show(), \$(().hide(), and \$(().toggle()</code>	395
Animate Opacity with <code>\$(().fadeIn(), \$(().fadeOut(), and \$(().fadeToggle()</code>	396
Create a Sliding Doors Effect with <code>\$(().slideUp(), \$(().slideDown(), and \$(().slideToggle()</code>	396
<b>Managing Events with jQuery</b>	<b>397</b>
Bind Events with <code>\$(().on() and \$(().off()</code>	398
Legacy jQuery Event Handling	400
Using jQuery, CSS, and HTML to Add Interactivity	400
<b>Summary</b>	<b>403</b>
<b>CHAPTER 12: JQUERY: BEYOND THE BASICS</b>	<b>407</b>
<b>Ajax with jQuery</b>	<b>407</b>
JSON, XML, or Text	409
Working with XML	409
Working with Text Responses	410
GETting and POSTing	411
Form Validation	414
Using jQuery to Add a Contact Form to a Site	416
<b>jQuery UI</b>	<b>420</b>
Getting jQuery UI	420
jQuery UI Behaviors	421
Draggable and Droppable	421
Resizable	423
Selectable	423
Sortable	424
jQuery UI Widgets	425
The Accordion Widget	425
The Autocomplete Widget	426
The Button Widget	426
The Datepicker Widget	427
The Dialog Widget	427
The Menu Widget	428
The Progressbar Widget	430
The Slider Widget	431
The Spinner Widget	431
The Tabs Widget	432
The Tooltip Widget	432
<b>Summary</b>	<b>433</b>

<b>CHAPTER 13: CHECKLISTS</b>	<b>437</b>
<b>Search Engine Optimization Checklist</b>	<b>437</b>
On-Page Techniques	437
Identifying Keywords and Phrases	438
Brainstorm for Words People Might Search On	439
Select Five to Ten Major Keywords	439
List Other Keywords and Phrases That Correspond to Your Major Keywords	439
Look Up Related Words (Not Exact Matches)	439
Determine the Popularity of Terms	440
Prioritize the Core Terms	440
Location	440
Mapping Core Terms to Pages	440
Homepages	440
Off-Page Techniques	441
<b>Accessibility Checklist</b>	<b>441</b>
Setting Up Your Document	441
Structural and Semantic Markup	442
Links and Navigation	442
Images and Multimedia	442
Color	443
Tables	443
Forms	443
Style Sheets	444
JavaScript	444
Skip Links	444
<b>APPENDIX A: ANSWERS TO EXERCISES</b>	<b>447</b>
<b>Chapter 1</b>	<b>447</b>
<b>Chapter 2</b>	<b>448</b>
<b>Chapter 3</b>	<b>449</b>
<b>Chapter 4</b>	<b>451</b>
<b>Chapter 5</b>	<b>454</b>
<b>Chapter 6</b>	<b>455</b>
<b>Chapter 7</b>	<b>458</b>
<b>Chapter 8</b>	<b>463</b>
<b>Chapter 9</b>	<b>466</b>
<b>Chapter 10</b>	<b>468</b>
<b>Chapter 11</b>	<b>470</b>
<b>Chapter 12</b>	<b>472</b>
<b>Chapter 13</b>	<b>474</b>

<b>APPENDIX B: HTML ELEMENT REFERENCE</b>	<b>475</b>
<b>APPENDIX C: CSS PROPERTIES</b>	<b>515</b>
<b>Font Properties</b>	<b>515</b>
font	515
font-family	516
font-size	516
font-size-adjust	516
font-stretch	516
font-style	517
font-variant	517
font-weight	517
<b>Text Properties</b>	<b>518</b>
letter-spacing	518
text-align	518
text-decoration	518
text-indent	519
text-shadow	519
text-transform	520
white-space	520
word-spacing	520
<b>Color and Background Properties</b>	<b>521</b>
background	521
background-attachment	521
background-color	522
background-image	522
background-position	522
background-positionX	523
background-positionY	523
background-repeat	523
<b>Border Properties</b>	<b>523</b>
border (border-bottom, border-left, border-top, border-right)	523
border-color (border-bottom-color, border-left-color, border-top-color, border-right-color)	524
border-style (border-bottom-style, border-left-style, border-top-style, border-right-style)	524
border-width (border-bottom-width, border-left-width, border-top-width, border-right-width)	525
<b>Dimensions</b>	<b>525</b>
height	525
line-height	526

max-height	526
max-width	526
min-height	527
min-width	527
width	527
<b>Margin Properties</b>	<b>528</b>
margin (margin-bottom, margin-left, margin-top, margin-right)	528
<b>Padding Properties</b>	<b>528</b>
padding (padding-bottom, padding-left, padding-right, padding-top)	528
<b>List Properties</b>	<b>529</b>
list-style	529
list-style-position	529
list-style-type	529
marker-offset	530
<b>Positioning Properties</b>	<b>531</b>
bottom	531
clip	531
left	531
overflow	532
overflow-x	532
overflow-y	532
position	532
right	533
top	533
vertical-align	533
z-index	534
<b>Outline Properties</b>	<b>534</b>
outline (outline-color, outline-style, outline-width)	535
<b>Table Properties</b>	<b>535</b>
border-collapse	535
border-spacing	535
caption-side	536
empty-cells	536
table-layout	536
<b>Classification Properties</b>	<b>537</b>
clear	537
display	537
float	537
visibility	538
<b>Internationalization Properties</b>	<b>538</b>
direction	538
unicode-bidi	539

<b>Selected CSS3 Properties</b>	<b>539</b>
Color	539
Backgrounds and Borders	540
border-radius (border-top-left-radius, border-top-right-radius, border-bottom-right-radius, border-bottom-left-radius)	540
box-shadow	540
Multi-Column	541
column-count	541
column-gap	542
column-width	542
Media Queries	542
@font-face	544
2D Transforms	544
3D Transforms	545
Animations	546
Transitions	547
<b>Lengths</b>	<b>548</b>
Absolute Lengths	548
Relative Lengths	549
CSS3 Relative Length Properties	549
<b>APPENDIX D: COLOR NAMES AND VALUES</b>	<b>551</b>
Using Hex Codes to Specify Colors	551
Understanding Hex Codes	553
Using Color Names to Specify Colors	554
Color Name and Number Reference	555
<b>APPENDIX E: CHARACTER ENCODINGS</b>	<b>561</b>
<b>APPENDIX F: SPECIAL CHARACTERS</b>	<b>565</b>
Character Entity References for ISO 8859-1 Characters	566
Character Entity References for Symbols, Mathematical Symbols, and Greek Letters	570
Character Entity References for Markup-Significant and Internationalization Characters	575

<b>APPENDIX G: LANGUAGE CODES</b>	<b>577</b>
<hr/>	
<b>APPENDIX H: MIME MEDIA TYPES</b>	<b>583</b>
Text	584
Image	585
Multipart	586
Audio	586
Video	588
Message	589
Model	590
Application	590
<hr/>	
<b>APPENDIX I: CHANGES BETWEEN HTML4 AND HTML5</b>	<b>595</b>
New Elements	595
New <input> Element Types	596
New Attributes	597
Global Attributes	598
Changed Attributes	598
Obsolete Elements	600
Obsolete Attributes	600
At-Risk Elements	602
<hr/>	
<i>INDEX</i>	603

